


Engine Driven Reciprocating Compressor Combination Packages



Industrial Gold
Quality Air Compressor at a Great Price.

industrialgold.com ■ 1-800-531-9656 ■ Fax 972-352-6364



Reciprocating Compressor/Generator Combination Units

Features:

- Heavy duty industrial grade gas or diesel engine
- Industrial compressor pump
- Disc and spring valves
- Industrial grade generator
- Heavy duty mounting base

Options:

- Filter/regulator
- Air hose quick disconnects
- Engine control extensions
- Stainless flex lines for air



Model	CFM@175PSI	Tank Size	Engine HP	Engine Start	Length	Width	Height	Weight	Generator Watt	Engine
CI13GEH30-GEN	19	30 Gallon	13	Electric	44	24	42	500	5000	Honda
CI14GEK30-GEN	19	30 Gallon	14	Electric	44	24	42	500	5000	Kohler
CI10DEK33-GEN	14	30 Gallon	9	Electric	44	28	46	600	5000	Kohler Diesel
CI18GEH30-GEN	23	30 Gallon	18	Electric	44	24	44	550	5000	Honda
CI18GEK30-GEN	23	30 Gallon	18	Electric	44	24	44	550	5000	Kohler
CI18DEK30-GEN	23	30 Gallon	17	Electric	44	28	46	600	5000	Kohler Diesel
CI26DEK30-GEN	35	Base mount	26	Electric	50	32	34	600	5000	Kohler Diesel
CI29GEK30-GEN	35	Base mount	29	Electric	50	30	34	575	5000	Kohler

Note: Units above 14 hp require an auxiliary fuel cell. All units are standard tank mount, basemount available.

Engine Driven Reciprocating Compressor Combination Packages 5n1

Features:

- Industrial grade reciprocating compressor
- Industrial grade drive engine
- Quick service compressor filters
- Electric start drive engine
- Vibration mounting pads
- Load/unload operation
- Compressor head cooling unloader
- Disc & spring valve
- Compressor Intake filter silencer
- Easy to remove compressor cover
- ASME/CRN certified safety valves

- Reverse polarity protection
- Automatic tank drain
- Battery mounted and wired

Options:

- Cold weather heating package
- Heavy duty marine grade battery
- High ambient temperature cooling package
- Compressor cover color change
- 6 or 12 gallon EPA, DOT rated fuel cells
- 6 or 30 gallon air storage tank



GAS ENGINE DRIVEN								
Model	CFM@125PSI	CFM@175PSI	Welder Amps	Generator Watts	Jump Start Amps	Battery Charge Amps	Engine Brand	Auxiliary Fuel Tank Required
CI20GEH30 -WGJS	25	23	300	6000	300	300	Honda	Yes
CI28GEK30-WGJS	25	23	300	6000	300	300	Kohler	Yes
GAS ENGINE DRIVEN								
CI26DEK30-WGJS	23	23	300	6000	300	300	Kohler	Yes

Units with drive engines larger than 14 hp or 440 cc require an auxiliary fuel tank.
Pictures for reference. Some packages appearance may vary from images.

Reciprocating Compressor-Welder-Generators

Features:

- Industrial grade gas or diesel engine
- Industrial grade welder/generator
- Heavy duty industrial compressor pump
- Belt guard after cooler
- Battery mounted and wired
- Electric start engine
- Vibration pads
- Stainless steel flex lines
- Automatic tank drain
- Freight pre-paid in lower 48 states and southern Canada

Options:

- Heavy duty marine grade battery
- Filter regulator
- Front mount battery
- Engine control extension



Model	CFM@175PSI	Tank Size	Engine HP	Engine Start	Length	Width	Height	Weight	Generator Watt	Welder	Engine
CI13GEH30-GWE	19	30 Gallon	13	Electric	48	26	42	550	5000	210A	Honda
CI14GEK30-GWE	19	30 Gallon	14	Electric	48	26	42	650	5000	210A	Kohler Diesel
CI10DEK33-GWE	14	30 Gallon	9	Electric	44	26	42	550	5000	210A	Kohler
CI18GEH30-GWE	23	30 Gallon	18	Electric	50	26	42	600	5000	210A	Honda
CI18DEK30-GWE	23	30 Gallon	17	Electric	52	34	44	650	5000	210A	Kohler Diesel

Note: Units above 14 hp require an auxiliary fuel cell. All units are standard tank mount, basemount available.


Reciprocating Compressor/Welder/Generators

Features:

- Heavy duty two stage cast iron pump
- Bearings in both ends of pump crank shaft
- Needle bearings on wrist pins of pump
- Industrial grade electric start drive engine
- Pilot valve for continuous operation
- Fully enclosed belt guard
- Full saddle mounting feet
- Alternator on drive engine
- 5000 watt generator
- 120/240 volt outlets
- 41 amp 110 volt
- 20 amp 240 volt
- Stainless steel flex lines
- Vibration pads
- Battery mounted and wired
- 210 amp welder

Options:

- Automatic tank drain
- Filter regulator
- Belt guard after cooler
- Filter/regulator system



Model	Engine HP	Tank Size	Engine	Length	Width	Height	Weight	Generator Watts	Welder	cfm @ 175 psi
CI11GED33-GW	10	30 Gallon	Kohler Diesel	44	24	40	450	5000	210	16
CI13GEH33-GW	13	30 Gallon	Honda	44	24	40	450	5000	210	16
CI14GEC33-GW	14	30 Gallon	Kohler Gas	44	24	40	450	5000	210	16



Quality Air Compressor at a Great Price.

2626 Skyway Drive
Grand Prairie, TX, 75052
417-206-6353
800-742-3071
Fax 417-206-6336