

Industrial Oil Free Reciprocating Compressors



Industrial Gold
Quality Air Compressor at a Great Price.

industrialgold.com ■ 1-800-531-9656 ■ Fax 972-352-6364



Simplex Oil Free Packages

Features:

- Industrial heavy duty single stage oil free pump
- Industrial grade electric drive motor
- ASME/CRN powder coated certified air receiver
- All UL/CSA certified controls
- Auto start stop
- Magnetic motor starter mounted and wired
- Fully enclosed belt guard
- Heavy duty air filters
- Air filter silencers
- ASME/CRN certified safety valves

Platinum Compressor Features:

- All basic features
- Belt guard after cooler
- Vibration pads
- Tank discharge ball valve
- Freight pre-paid in 48 states and southern Canada

Options:

- NEMA 4 controls
- NEMA 4X controls
- NEMA 7 controls
- Class 1 Div 2 drive motor
- NFPA 99 controls
- 200 Volt operating motor
- 575 Volt operating motor



Model	CFM@100psi	CFM@125psi	Phase	Voltage Available	Tank Size	Length	Width	Height
CI21E60V-OF	7	6	1	115-208/230	60 Gallon	32	24	72
CI23E60V-OF	7	6	3	208-230/460-480	60 Gallon	32	24	72
CI31E60V-OF	11	10	1	208-230	60 Gallon	32	24	72
CI33E60V-OF	11	10	3	208-230/460-480	60 Gallon	32	24	72
CI51E80V-OF	18	17	1	208-230	80 Gallon	34	24	74
CI53E80V-OF	18	17	3	208-230/460-480	80 Gallon	34	24	74
CI71E80V-OF	22	21	1	208-230	80 Gallon	34	24	74
CI73E80V-OF	22	21	3	208-230/460-480	80 Gallon	34	24	74
CI101E120H-OF	35	34	3	208-230/460-480	120 Gallon	74	35	54
CI103E120H-OF	35	34	1	208-230	120 Gallon	74	35	54
CI153E120H-OF	47	45	3	208-230/460-480	120 Gallon	76	36	60
CI203E120H-OF	68	64	3	208-230/ 460-480	120 Gallon	76	36	62
CI253E120H-OF	80	76	3	208-230/460-480	120 Gallon	76	36	62

Add -P after model number to make Platinum

Duplex Oil Free Packages

Features:

- Industrial heavy duty single stage oil free pump
- Industrial grade electric drive motor
- ASME/CRN powder coated certified air receiver
- All UL/CSA certified controls
- Auto start stop
- Magnetic motor starter mounted and wired
- Fully enclosed belt guard
- Heavy duty air filters
- Air filter silencers
- ASME/CRN certified safety valves

Platinum Compressor Features :

- All basic features
- Belt guard after cooler
- Vibration pads
- Tank discharge ball valve
- Freight pre-paid in 48 states and southern Canada

Options:

- NEMA 4 controls
- NEMA 4X controls
- NEMA 7 controls
- Class 1 Div 2 drive motor
- NFPA 99 controls
- 200 Volt operating motor
- 575 Volt operating motor



Model	CFM@100psi	CFM@125psi	Phase	Voltage Available	Tank Size	Length	Width	Height
DCI21E30H-OF	14	12	1	115-208/230	30 Gallon	32	24	72
DCI23E30H-OF	14	12	3	208-230/ 460-480	30 Gallon	32	24	72
DCI31E30H-OF	22	20	1	208-230	30 Gallon	32	24	72
DCI33E30H-OF	22	20	3	208-230/ 460-480	30 Gallon	32	24	72
DCI51E120H-OF	36	34	1	208-230	120 Gallon	34	24	74
DCI53E120H-OF	36	34	3	208-230/460-480	120 Gallon	34	24	74
DCI71E120H-OF	44	42	1	208-230	120Gallon	34	24	74
DCI73E120H-OF	44	42	3	208-230/ 460-480	120 Gallon	34	24	74
DCI101E120H-OF	70	68	3	208-230/ 460-480	120 Gallon	74	35	54
DCI103E120H-OF	70	68	1	208-230	120 Gallon	74	35	54
DCI153E120H-OF	94	90	3	208-230/ 460-480	240 Gallon	76	36	60
DCI203E120H-OF	136	128	3	208-230/460-480	240 Gallon	76	36	62
DCI253E120H-OF	160	152	3	208-230/ 460-480	240 Gallon	76	36	62

Add -P after model number to make Platinum



Quality Air Compressor at a Great Price.

2626 Skyway Drive
Grand Prairie, TX, 75052

417-206-6353

800-742-3071

Fax 417-206-6336